



Characterizing Lunar Water Resource Prospector: A rover mission to the Lunar polar region

Ted L. Roush

NASA Ames Research Center

Moffett Field, CA USA

June 2017



1. History of Water on the Moon (2)
2. Mission History (8)
3. Near-Infrared Volatile Spectrometer System (NIRVSS) (9)
4. Future (2)

History of Water on the Moon



Integrated data from instruments on LRO support large quantities of water ice in PSRs and partially sunlight regions

Chandrayaan-1 radar data consistent with water ice in PSRs and M³, Deep Impact HRIIR, and Cassini VIMS data indicate presence and variability of surface OH/H₂O



2010 ...

2009

2008



1998

1994


1970

1961

Clementine bi-static radar suggests water ice in polar permanently shadowed regions (PSRs)



LCROSS impacts Cabeus A and detects significant quantities of water in the ejecta



Lunar Prospector Neutron Spectrometer detects elevated hydrogen levels correlated with PSRs



1969-1972 Apollo samples suggest a dry moon


1961 - Watson, Murray & Brown theorize Lunar cold traps may contain water ice

History of Water on the Moon




Polar Temperatures and Volatiles

Modeled annual mean temperature



Long-term vacuum stability temperatures for observed volatiles



Only volatiles with $T > 80$ K (above red dashed line) expected below surface in sunlight regions

Moving Forward – What Must Be Done



Given: There are potentially substantial hydrogen rich resources on the Moon...

Then: We must gain the necessary knowledge to guide future mission architectures to allow effective utilization of in-situ resources to their fullest extent and optimum benefit.

- Understand the resources – Resource Prospector (RP)
 - What resources are there (minerals, volatiles, water/ice)?
 - How abundant is each resource?
 - What are the areal and vertical distributions and hetero/homogeneity?
 - How much energy is required to locate, acquire and evolve/separate the resources?
- Understand environment impact on extraction and processing hardware
 - What is the local temperature and illumination environment?
 - What are the physical/mineralogical properties of the local regolith?
 - Are there extant volatiles that are detrimental to processing hardware or humans?
 - What is the impact of significant mechanical activities on the environment?
- Design and use hardware to the maximum extent practical that has applicability to follow-on ISRU missions
 - Can we effectively separate and capture volatiles of interest?
 - Can we execute repeated processing cycles (reusable chamber seals, tolerance to thermal cycles)?



RP is being pursued within NASA to prospect for volatiles in the polar regions of the Moon.

RP addresses using lunar resources to produce oxygen and propellants that enable new mission architectures for human exploration

RPM is targeted for launch in 2021/22.

Mission elements include:

Launch vehicle – TBD, Potentially SLS, EM-2

Lunar lander

Commercial

International Cooperation, possibly Taiwan

Rover - NASA

Payload – NASA

Surface and sub-surface characterization

neutron spectrometer – sub-surface

near-infrared spectrometer, camera,

radiometer – surface & sub-surface

Sample collection, delivery, analysis

drill - collect and deliver sample(s)

oven - heats sample(s)

gas chromatograph / mass spectrometer -

characterizes sample volatiles

RP- The Tools



Drill

- Subsurface sample acquisition
- Near-surface assay
- Detailed subsurface assay

NIR Volatiles Spectrometer System (NIRVSS)

- Surface composition and H₂O/OH identification
- Near-subsurface sample characterization
- Drill site spectroscopy, imaging, and temperatures

Neutron Spectrometer System

- Water-equivalent hydrogen > 0.5 wt% down to 1 meter depth

Oxygen & Volatile Extraction Node


- Volatile Content/Oxygen Extraction by warming
- Total sample mass

Lunar Advanced Volatile Analysis (LAVA)

- Analytical volatile identification and quantification using GC/MS
- Measure water content of regolith at 0.5% (weight) or greater
- Characterize volatiles of interest below 70 AMU

Rover

- Mobility system
- Cameras
- Surface interaction



RPM Polar Landing

Must meet the following four criteria

1. Surface/Subsurface Volatiles


- High hydrogen content (LRO LEND & LPNS instruments)
- Constant <100 K temperatures @ 10 cm below surface (LRO Diviner instrument)
- Surface OH/H₂O (M³, LRO LAMP & Diviner)

2. Reasonable terrain for traverse

- Slopes $< 10^\circ$
- Limited density of rocks

3. Direct Earth view for communication (DTE)


4. Sunlight for duration of mission for power



A Potential S. Pole Landing Sites



LEND Results




H- rich, low count rate high, H-poor
LEND Data (circa Fall 2009)

Site Analysis

Site:	A	B	C
Shallow "Frost Line"	<0.1 m	<0.2 m	<0.1 m
Slopes	<10°	<15°	<10°
Neutron Depletion	4.5 cps	4.7 cps	4.9 cps
Temporary Sun*	4 days	2-4 days	5-7 d
Comm Line of Sight*	8 days	17 days	17 days

* may not coincide


Very short duration mission



Depth to where water loss is < 1 kg m⁻² per Gyr

Depth(m)
0.0 0.1 0.2 0.3 0.4 0.5 0.6 0.7 0.8 0.9 1.0

Predicted Volatile Stability



Solar illumination for May 2017

Sun Mission Length (Days)
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17

Solar Power Potential

Step #1: Get there...



- **Cruise Phase (Depends on launch vehicle):**


- 5-day direct Earth to Moon transfer w/DSN S-band
- Spin up to 1 rpm using Attitude Control System (post-TLI)
 - No de-spin during TCMs
- Perform system checkout
- Perform two TCMs (nom.)
- Perform two Neutron Spec calibrations (nom.)

Moon Arrival (Direct Descent)

- **Contingency / Off nominal**


- Allows for two (2) additional TCMs
- Propellant margin for spin / de-spin for thermal anomalies

Earth Departure



Step #2: Land there...


Details depend on launch vehicle)



Step #3: Prospect & Excavate there...



Site Overview
Plan: nobile-i v 3
Time: 1/13/2022 11:49:40 PM



Landing site candidate areas
(**green**):

- No slopes $> 15^\circ$ in 200 m diameter landing ellipse

- Must have sun & communication for 48 hrs

- Must have lit terrain on approach during powered descent

Traverse path:

- No slopes $> 15^\circ$ (using 20-m LOLA gridded product)

- Sun/comm corridors with margin

White circles near surface assay

blue circles deep, 1 m, drilling



Science Goals

1. **Monitor** the surface during rover traverses and at excavation sites for water and other volatiles.
 - Identify surface bound $\text{H}_2\text{O}/\text{OH}$
 - constrain mineralogical/geological context
 - measure surface temperatures
2. **Observe** the immediate vicinity of the drill site before and during drill operations to look for real-time changes in the properties of the materials exposed during drilling.
 - Identify volatiles, including water form (e.g., ice vs. bound) at all depths drill exposes at surface
 - Constrain the volatile presence in top ~20-30 cm of regolith: provides constraints on NSS measurements of hydrogen abundance
 - Constrain surface/subsurface temperatures

Spectrometer Box

- Two spectrometers to achieve wavelength range and resolution to identify key volatiles (solids)
- Shortwave (SW): 1590-2400 nm
- Longwave (LW): 2300-3400 nm

Bracket Assembly

Lamp - Enables spectral observations in illuminated and shadowed terrain


Drill Observation Camera (DOC) & LEDs

- Image drill area with sufficient FOV to observed ~20 cm of tailings
- Sufficient resolution to identify regolith structure at scales ~500 μm
- Using multiple-wavelength LEDs for surface mineral composition


Longwave Calibration Sensors (LCS), 7.8, 10.6, 14, and 25 μm

- Surface temperatures
- correct thermal emission contamination in 3 μm band → required for determining concentrations of OH/H₂O

NIRVSS designed for minerals and ices





NIRVSS Components



NIRVSS Testing




Glenn Research
Center VF-13
Vacuum Chamber



NIRVSS Testing



From Ames we command data collection by NIRVSS and monitor DOC imaging and spectral data



NIRVSS Testing



DOC Unsaturated Color Composite




Phone
camera
Image
during
assembly,
color
not
correct
bottom
row are
gray scales
10, 20, 30
percent
reflectance

scale = 1

B = 410 nm LED

G = 540 nm LED


R = 650 nm LED



NIRVSS Testing




Spectral parameters to monitor water ice during drilling



Monitor band parameters as drilling progresses

BD2000 and BD3000 ↑ as drilling proceeds



Show the movie